

Where to find a

DOVE
BUILDING
MATERIALS

close to you

Hotspur Court Lionheart Enterprise Park Alnwick NE66 2EU	☎ (01665) 603 358
North Seaton Road Ashington NE63 8ST	☎ (01670) 819 363
Northumberland Road Berwick TD15 2AS	☎ (01289) 304 211
5 Railway Street Bishop Auckland DL14 7LR	☎ (01388) 607 772
Shadon Way Portobello Industrial Estate Birtley DH3 2SW	☎ (0191) 492 3393
Station Approach East Boldon NE36 0AB	☎ (0191) 537 2155
St Nicholas Bridge Carlisle CA2 4AA	☎ (01228) 542 011
71 Island Street Galashiels TD1 1PA	☎ (01896) 758 871
Burnfoot Industrial Estate Hawick TD9 8RH	☎ (01450) 371 048
Unit 2 Hetton Lyons Industrial Estate Hetton DH5 0RH	☎ (0191) 526 4949
Bridge End Industrial Estate Hexham NE46 4DQ	☎ (01434) 600 062
Riversdale Way Newburn Haugh Ind Estate Newcastle NE15 8SF	☎ (0191) 229 5050
Longbeck Industrial Estate Marske TS11 6HB	☎ (01642) 479 166
Norham Road North, North Shields Newcastle NE29 8RZ	☎ (0191) 296 4661
Cheltenham Road behind 'The Range' off Portrack Lane Stockton TS18 2SL	☎ (01642) 673 215

NEW BRANCH OPENING IN SEAHOUSES, NORTHUMBERLAND EARLY 2016

www.jtdove.co.uk



Our normal sale terms (01/01/05) apply. Whilst every care has been taken to ensure that the information and prices in this catalogue was accurate at the time of printing, we reserve the right to change specifications and prices without prior notice. Pictures for illustration purposes only. Colours shown are as accurate as printing processes will allow but we recommend you view the actual products before ordering. The bricks shown are sourced from various manufacturers. Stock availability varies at our branches and not all brick types will be available at all branches. Delivery lead times will vary. VAT calculated at the current rate of 20%.

Brick Range Catalogue



October 2015



A popular range of bricks stocked at your local branch

DOVE
BUILDING
MATERIALS

'An independent local company, here to serve local people'

Dove brick range

Core range

Please contact your local branch for special quantity prices

515876

73mm (368)
Dove Weathered Red



367648

65mm (400)
Solid Class B Engineering



545384

73mm (400)
Northern Blend Tumbled



367788

65mm
Concrete Common



517488

65mm Class B Blue Engineering



367508

65mm Class B Engineering



367524

73mm Class B Engineering



517526

65mm Morpeth Blend



SPECIAL OFFER AND SPOT-BUY BRICKS ARRIVING ALL THE TIME

We are constantly checking the marketplace for spot-buy bricks to offer our customers. For the availability of these extra special priced bricks, please contact your nearest DOVE branch for further details.

Figures in brackets denote bricks per pack



50mm / 65mm / 73mm Class A Blue, Red and Brown brindle Engineering bricks POA

High strength* (above 125kN/m2)
Low water absorption** (below 4.5%)

* suitable for bridges and structural brickwork.
** suitable for areas of severe exposure such as rivers, canals and flood alleviation projects.



SUITABLE FOR WET GROUND CONDITIONS

Red brick range

Red brick range

519278 / 519286
65mm (400) / 73mm (336)
Tradesman Rustic



546879
65mm (520)
Wentworth Mixture



515248
65mm (495)
Village Sunglow



545058
73mm (400)
Old Victorian Pressed Medium Dark



515299
73mm (428)
Willerby Red



367532
65mm (500)
Th Red Rustic



515396
73mm (428)
Ribbed Red



514853
73mm (428)
Moorland Rustic



367206
65mm (500)
Tyne Red Bark



367982
65mm (500)
Mixed Red Textured



514926 / 514837
65mm (504) / 73mm (428)
Red Rustic



514470
65mm (500)
Durham Red Multi



516570
65mm (500)
Hadrian Red



514195 / 513091
65mm (392) / 73mm (328)
Commercial Red



545104 / 516554
65mm (340) / 73mm (340)
Swarland Purple Sandface



514721
73mm (428)
Pinhole Red



Red brick range

515507
65mm (528)

Kassandra Multi



546860
65mm (520)

Old Trafford Red



516589
65mm (500)

Gainsborough Red Multi



514446
65mm (500)

Bamburgh Red



545023
73mm (400)

Skiddaw



545031
73mm (400)

Stippletex



516619
65mm (520)

Braemar Red Rustic



548189
65mm (495)

Oakthorpe Red Stock



Red brick range

547115
65mm (504)

County Red Smooth



547808
65mm (495)

Atherstone Red



514683
65mm (504)

Crigglestone Red



516759 / 514861
65mm (504) / 73mm (428)

Heather Rustic



548197
65mm (400)

Berkshire Red



515302
73mm (428)

Pink Sandfaced



515310
73mm (428)

Red Sandfaced



514098 / 514284
65mm (504) / 73mm (428)

Ripley Rustic



Red brick range

Red / Red black brick range

351024
73mm (292)

Cowan Victorian Ripple



544868
65mm (400)

Sandwell Red Multi



514748
73mm (428)

Weathered Red



548243
73mm (316)

Aldridge Multi Rustic



516422
73mm (500)

Callerton Weathered Red



514594
65mm (504)

Moorland Sandfaced



516171
65mm (400)

Peak Bordeaux Blend



515930 / 516678
65mm (400) / 73mm (368)

Swarland Pink Sandface



368199
73mm (428)

Civic Multi



545147
73mm (336)

Hadley Red Smooth



514934 / 514845
65mm (504) / 73mm (428)

Kirby Rustic



516767
73mm (428)

Burnden Weathered



516597
65mm (500)

Durham Claret



544833
65mm (652)

Jewel Multi




514713
73mm (428)

Pinhole Burnden



513423 / 513393
65mm (504) / 73mm (428)

Clayburn Civic



Red black / Multi brick range

Multi brick range

545139
73mm (292)
Anglian Ruskin Multi



367818
65mm (500)
Old English



517135 / 513067
65mm (392) / 73mm (328)
Birtley Olde English



514292
65mm (500)
Worcester Red Multi



517550
65mm (400)
Crofters Medley



546852
65mm (520)
Victorian Mixture



513148
65mm (400)
Tradesman Tudor Regent



514225
65mm (400)
Tradesman Claygate Red Multi



546844
65mm (520)
Rannoch Red



515329 / 515337
65mm (452) / 73mm (416)
Scotch Common



519537 / 516783
65mm (504) / 73mm (428)
Priory Mixture



513156 / 513164
65mm (392) / 73mm (328)
Beamish Blend



518077
65mm (500)
Etruria Mixture



513601 / 513628
65mm (452) / 73mm (416)
Smooth Snowie Heritage



544817 / 544825
65mm (435) / 73mm (400)
Cherwell Urban Antique



514357
65mm (495)
Kimbolton



Multi brick range

Multi brick range

545155
73mm (336)
Hadley Red Brindle



516163
65mm (400)
Woodland Mixture



519960
65mm (500)
Durham Dark Multi



519588
65mm (500)
Tuscan Red Multi



514365
65mm (495)
Hampton Rural Blend



Dove Tip...

Why not create an opening with plinth stretchers.

Ask about our Special brick range.

548200
65mm (500)
Ashington Red Multi



515841
65mm (680)
Medium Surrey Blend



545244 / 545236
65mm (435) / 73mm (400)
Cherwell Heritage



544663
65mm (452)
Dragfaced Snowie Heritage



549347
65mm (500)
Kilreggan



513105 / 513113
65mm (400) / 73mm (340)
Oakwood Multi



514373
65mm (452)
Chidwell Multi



547204
65mm (452)
South Down Multi



517534
65mm (528)
Milano



548219
65mm (500)
Nutcombe Multi



Multi brick range

517542

65mm (652)

Heritage Blend



516252

65mm (500)

Rutland Red Multi Rustic



517348

65mm (500)

Manorial Mixture



Pre-Stressed Concrete Lintels

Great range and sizes available to suit most building applications. Please contact your nearest branch for further details.



516759 / 514861

65mm (504) / 73mm (428)

Heather Rustic



546836

65mm (520)

Moray Red Mixture



Buff bricks

518123

65mm (400)

Nevada Buff



516139

65mm (500)

Rutland Buff Multi Rustic



518085

65mm (400)

Staffordshire Golden Dragwire



519340

65mm (500)

Oatmeal Textured



546925

65mm (520)

Torridon Buff



515221

65mm (500)

Village Harvest Multi



514179

65mm (500)

Hadrian Buff



367230

65mm (500)

Throckley Straw Thatch Rustic



Hyload is a polymeric DPC material suitable for all types of construction including house building, commercial, industrial and multi storey.



Dove Tip...

Create bespoke blends. it is now possible to create your own blend from selected ranges. Ask about blending bricks at your local branch

Buff brick range

513490
65mm (400)

Tradesman Millgate Buff



513199
65mm (500)

Grainger Gold



516066
65mm (504)

Buff Dragwire



518115
65mm (495)

Village Honey Gold



514187
65mm (500)

Smooth Buff




516090
65mm (504)

Buff Rustic



546828
65mm (520)

Inglesbrough Buff



514888
73mm (428)

Flamborough Gold



Buff brick range

517275 / 513059
65mm (392) / 73mm (328)

Birtley Olde English Buff



546909
65mm (520)

Murrayfield Buff



546933
65mm (520)

Laggan Mixture



515868
65mm (680)

Hathaway Brindle



546917
65mm (520)

Cumbria Buff



514152
65mm (400)

Tradesman Golden Buff



**Hanson
Cement
Range**



Our range of packed cements covers all requirements from standard cements through to specialist White and Sulfate-resisting cement. These packed cements can be used in mortar, concrete, render and screed.

Brown brick range

Brown / Grey brick range

513180
65mm (500)
Grainger Autumn



514101
65mm (400)
Tradesman Cheviot



515485 / 513040
65mm (504) / 73mm (428)
Brown Sandfaced



514438
65mm (452)
Heather Multi



545082 / 545090
65mm (400) / 73mm (368)
Swarland Brown Sandfaced



514128
65mm (400)
Tradesman Sandfaced



516031 / 516058
65mm (504) / 73mm (428)
Heather Sandfaced



367974
65mm (500)
Antique Brown Rustic



547131
65mm (504)
Dark Moroccan Rustic



514136 / 514144
65mm (316) / 73mm (292)
Golden Brown Sandfaced



516643
65mm (504)
Brown Rustic



514705
65mm (504)
Crigglestone Brown



516651
65mm (504)
Brown Dragwire



519294 / 519316
65mm (400) / 73mm (336)
Tradesman Heather



547085
65mm
Milldale Grey



DPC's to suit all popular applications



Grey / Blue brick range

519596
65mm (400)

Tradesman Antique Grey



367214
65mm (500)

Silver Grey Rustic



516872
65mm (380)

Staffordshire Slate Blue



545074 / 513350
65mm (400) / 73mm (368)

Swarland Black Sandfaced



516546
65mm (495)

Chatsworth Grey



518050
65mm (416)

Brunel Blue Smooth



Mortar Colours

Consideration should be given to mortar colour, as this will influence the appearance of the completed brickwork. The right mortar colour will help new brickwork blend in to existing brickwork. Also the colour of the bricks can appear to change depending upon mortar colour. These bricks pictured are all the same colour, only the mortar colour is different.



Special brick range

Brick Arches

Our standard range of span dimensions gives a greater choice than the British Standard.



Dentils and Easy Angle bricks

Dentilation is a tooth-like effect created by the projection of alternate headers or cut bricks. Easy angles - decorative specials used to turn brickwork through any angle on plan.



Prefabricated Chimneys

Delivered ready for pointing, and can be craned into position. Can be used with most appliances including class 1 multi-fuel stoves



Natural Stone

**QUALITY
NATURAL
STONE**

Quality random reclaimed stone

- Available in :
- 4 sq metre pallets
 - Bulk bags
 - Skip loads & loose tipped

Please ask for further details at your nearest DOVE branch

Landscaping stones also available
503207



Hydraulic Lime

- Available in :
- 25kg bags

Used for making mortars for building and repointing.

Can also be used for rendering and plastering.

Please ask for further details at your nearest DOVE branch



Steel Lintels • Brick Matching Service

Standard Lintels

Large stocks available. Patented thermal break plate reduces cold bridging and provides added rigidity and structural performance.

Special Lintels

Arches, Apex and Half Apex, Parabolic, Gothic Corner, Square and Splayed lintel.

Hi-Therm Lintels

Up to 5 times more thermally efficient than a standard steel lintel.

Sunlounge Lintels

Simplify your Sun Lounge project with a Keystone one piece Lintel.

Windpost Lintels

Off-the shelf and bespoke design available. Manufactured in Grade 304 Stainless Steel.

Brick Slip Feature Lintels

One piece prefabricated unit with patented brick slip adhesion system.

Please contact your nearest branch for further details on our range of steel lintels



Each JT Dove branch has a brick library where customers can match or select a brick of their choice. All popular types of brick are available from all leading brick manufacturers.

If you need a brick match, just take a free sample of the brick you are interested in from our brick library for a perfect brick match at your site.

We have brick libraries at all our branches

Pictured right is one of our Brick Libraries.



Delivering Outstanding Value Everyday

Delivering Outstanding Value Everyday